

TED (15) - 2002
(REVISION — 2015)

Reg. No.
Signature

DIPLOMA EXAMINATION IN ENGINEERING/TECHNOLOGY/
MANAGEMENT/COMMERCIAL PRACTICE — OCTOBER, 2017

ENGINEERING MATHEMATICS - II

[Time : 3 hours

(Maximum marks : 100)

PART — A

(Maximum marks : 10)

Marks

I Answer all questions. Each question carries 2 marks.

1. If $\vec{a} = \hat{i} + 2\hat{j} - 3\hat{k}$ and $\vec{b} = 3\hat{i} - \hat{j} + 2\hat{k}$, find $\vec{a} \cdot \vec{b}$.
2. Obtain the third term in $(m^2 - \frac{1}{m^4})^6$.
3. Solve for x if $\begin{vmatrix} x & 12 \\ 3 & x \end{vmatrix} = 0$.
4. Evaluate $\int_0^1 \frac{1}{\sqrt{1-x^2}} dx$.
5. Find the integrating factor of $\frac{dy}{dx} + y \tan x = \cos^2 x$. (5×2=10)

PART — B

(Maximum marks : 30)

II Answer any five of the following questions. Each question carries 6 marks.

1. If $\vec{a} = 3\hat{i} + 2\hat{j} - 2\hat{k}$ and $\vec{b} = 2\hat{i} + 3\hat{j} + \hat{k}$
Calculate (i) $(\vec{a} + \vec{b})$, $(\vec{a} - \vec{b})$ and (ii) $(\vec{a} + \vec{b}) \times (\vec{a} - \vec{b})$
2. Find the middle terms in the expansion of $(2x + \frac{3}{x})^9$.
3. Solve the following system of equations using determinants.
 $2x - 3y + z = -1$, $4x - y + 3z = 11$, $x + 4y - 2z = 3$.
4. If $A = \begin{bmatrix} 5 & 3 \\ 2 & 2 \end{bmatrix}$ and $B = \begin{bmatrix} 7 & 5 \\ 4 & 3 \end{bmatrix}$, show that $(AB)^{-1} = B^{-1} A^{-1}$
5. Evaluate $\int_0^2 x^2 e^x dx$.
6. Find the area enclosed by one arch of the curve $y = \sin 3x$ and the x -axis.
7. Solve $\frac{dy}{dx} + 2y \tan x = \sin x$. (5×6=30)

PART — C

(Maximum marks : 60)

(Answer one full question from each unit. Each full question carries 15 marks)

UNIT — I

- III (a) Find the projection of line joining $(1, -2, -1)$ to $(3, 1, 1)$ on the vector $4\hat{i} - 3\hat{j} + 12\hat{k}$. 5

- (b) A force is represented in magnitude and direction by the line joining the point $A(1, -2, 4)$ and $B(5, 2, 3)$, find the moment about the point $(-2, 3, 5)$. 5

- (c) Expand $\left(x - \frac{1}{x}\right)^6$ binomially. 5

OR

- IV (a) The constant forces $2\hat{i} - 5\hat{j} + 6\hat{k}$, $-\hat{i} + 2\hat{j} - \hat{k}$ and $2\hat{i} + 7\hat{j}$ act on a particle from the position $4\hat{i} - 3\hat{j} - 2\hat{k}$ to $\hat{i} + \hat{j} - 3\hat{k}$. Find the total workdone. 5

- (b) Find the area of the parallelogram having adjacent sides $\vec{a} = 3\hat{i} + \hat{j} - 2\hat{k}$ and $\vec{b} = \hat{i} - 3\hat{j} + 4\hat{k}$. 5

- (c) Find the constant term in the expansion of $\left(\frac{4x^3}{3} - \frac{3}{2x}\right)^8$. 5

UNIT — II

- V (a) Find A and B if $2A + 3B = \begin{bmatrix} 1 & 2 & -1 \\ 2 & 0 & 1 \end{bmatrix}$, and $A + 2B = \begin{bmatrix} 2 & 1 & 0 \\ 1 & -1 & 2 \end{bmatrix}$. 5

- (b) If $A = \begin{bmatrix} 1 & 2 & 2 \\ 2 & 1 & 2 \\ 2 & 2 & 1 \end{bmatrix}$, show that $A^2 - 4A - 5I = 0$. 5

- (c) If $\begin{vmatrix} x & 1 & 3 \\ 4 & 1 & -1 \\ 2 & 0 & 3 \end{vmatrix} = \begin{vmatrix} 2 & -1 & 1 \\ 3 & 0 & 1 \\ -1 & 0 & 2 \end{vmatrix}$, find x. 5

OR

- VI (a) Solve $\frac{2}{x} + \frac{5}{y} = 3$, $\frac{6}{x} + \frac{7}{y} = 5$ using determinants. 5

- (b) Solve the system of equations by finding the inverse of the coefficient matrix

$$3x + y - z = 3, \quad -x + y + z = 1, \quad x + y + z = 3.$$

5

- (c) If $A = \begin{bmatrix} 1 & 1 & -1 \\ 2 & 0 & 3 \\ 3 & -1 & 2 \end{bmatrix}$, $B = \begin{bmatrix} 1 & 3 \\ 0 & 2 \\ -1 & 4 \end{bmatrix}$, and $C = \begin{bmatrix} 1 & 2 & 3 & -4 \\ 2 & 0 & -2 & -1 \end{bmatrix}$,

show that $A(BC) = (AB)C$. 5

UNIT — III

- VII (a) Evaluate (i) $\int \frac{\cos x}{\sin x} dx$ (ii) $\int e^{2x+3} dx$. 3+2

- (b) Evaluate $\int \sin^{-1} x dx$. 5

- (c) Evaluate $\int_0^2 x^2 \log x dx$. 5

OR

VIII	(a) Evaluate $\int_0^{\pi/2} x \sin x dx.$	5
	(b) Evaluate $\int_0^1 \frac{2x+1}{x^2+x+1} dx.$	5
	(c) Evaluate $\int \frac{\sin^{-1} 2x}{\sqrt{1-4x^2}} dx.$	5

UNIT — IV

- IX (a) Obtain the area enclosed between the parabola $y = x^2 - x - 2$ and the x -axis. 5
 (b) Find the volume of the paraboloid got by rotating the portion of the parabola $y^2 = 4x$ between $x = 0$ and $x = 2$ about the x -axis. 5
 (c) Solve $\frac{dy}{dx} + 2ycot x = cosec x.$ 5

OR

- X (a) Find the volume of the solid obtained by rotating one arch of the curve $y = 3\sin 2x$ about the x -axis. 5
 (b) Solve $\frac{d^2y}{dx^2} = sec^2 x.$ 5
 (c) Solve $\frac{dy}{dx} + \sqrt{\frac{1-y^2}{1-x^2}} = 0.$ 5

www.mtithriSSur.ac.in